



Silhouette® Window Shadings

MAGICAL TRANSFORMATION

Silhouette® window shadings, with the Signature S-Vane™, transform the look of a room by changing the quality of exterior light — from harsh and unyielding to soft and controllable. See life in a whole new light . . . with Silhouette window shadings.

Important product features:


- Soft fabric vanes are suspended between sheer fabric facings
- Vanes tilt for precise light control
- No cords run through the fabric to detract from its simple elegance
- Diffusion of light through the fabric facings eliminates harsh shadows
- Even with open vanes, shadings filter up to 88% of harmful ultraviolet rays
- Outside view is softened by the sheer facings, which also provide daytime privacy
- Palette® Fabric-Covered Headrail is featured on all rectangular shadings
- Lifetime Guarantee

Broad range of product options:

- Nine fabric styles offer 220 fabric and color combinations
- Available in three vane sizes and three opacity levels
- Four innovative lifting systems
- Top-Down/Bottom-Up shadings, specialty shapes and Tilt-Only shadings also available



Silhouette window shadings magically transform the look of a room.



New for 2008: Silhouette Bouclé fabric (left) features an organic, natural look in three-inch and Quartette™ four-inch vanes sizes. The Matisse Collection® (right) has been expanded to include ten bold colors in both translucent and light-dimming opacities.

HunterDouglas

Life in a Whole New Light...



BEFORE AND AFTER: HARSH, UNRELENTING LIGHT VERSUS SOFT, AMBIENT LIGHT

The harsh glare in the room on the left does more than make the room an unpleasant place to relax — the direct sunlight also fades furnishings with its ultraviolet rays. In the transformed room on the

right, the sunlight has been softened and controlled, providing up to 88% UV protection even when the vanes are open. Enjoy life in a whole new light with Silhouette® window shadings.

Three vane sizes . . . for just the right sense of scale.

Two-Inch

The original two-inch vane size of Silhouette window shadings provides a crisp, tailored look that works best in smaller windows and rooms.

Three-Inch

The bold three-inch vane size provides wider vane spacing with a less obstructed view through the sheer facings. Its larger scale is ideal for bigger windows and rooms.

Four-Inch

The exclusive Quartette™ four-inch vane size has the widest vane spacing for the best view-through, along with a striking appearance wherever it is installed.

Three vane opacities . . . for just the right amount of privacy and light.

Semi-Sheer

When the semi-sheer vanes of Lumiere® fabric are closed, there is a glowing light entering the room and a soft, diffused view to the outside.

Translucent

Most Silhouette fabrics feature translucent vanes, which offer excellent privacy when closed, yet provide a warm glow in the window.

Light-Dimming

Bon Soir™ and the Matisse Collection® Bon Soir feature light-dimming vanes, which provide extra privacy and tranquility — perfect for bedrooms, nurseries or anywhere a little less light is desired.

Take a Look at Everything That's New for

Silhouette® Quartette™ with UltraGlide®




The bold beauty of the Quartette™ four-inch vane size and the UltraGlide® retractable cord system combine for ease of operation and enhanced safety.

Quartette Four-Inch in All Fabric Styles



All Silhouette® fabrics (except Trés Vue™) are now available with four-inch vanes, providing your customers with more choices for better view-through.

Quartette with Specialty Shapes



Now the vane-size scale of Quartette rectangular shadings can be matched when ordering any of the wide variety of Silhouette specialty shapes.

Quartette with Two-On-One Headrail




Wide expanses, sliding doors — both are new opportunities for Quartette with Two-On-One Headrail featuring the EasyRise™ lifting system.

Quartette with Standard Tilt-Only



Both privacy and view-through are important for sidelights, and Quartette with Standard Tilt-Only boldly meets that dual challenge.

New Bouclé Fabric Style



The Bouclé fabric provides an organic appeal and is ideal for modern or Asian décors.

2008...

Expanded Matisse Collection®



The Matisse Collection® has been expanded to ten bold-colored sheers in the three-inch and Quartette™ four-inch vane sizes.

Matisse Collection Bon Soir™



All ten colors in the expanded Matisse Collection are offered with Bon Soir™ light-dimming vanes in both the three-inch and four-inch sizes.

Palette® Fabric-Covered Headrail Standard



The Palette® Fabric-Covered Headrail is now featured on every Silhouette® rectangular shading for a soft look top to bottom.

Top-Down/Bottom-Up in Three-Inch



Top-Down/Bottom-Up with TiltAnywhere™ is now offered in the Trés Vue™ three-inch vane size for better view-through.

Longer Drops



Height maximums for Silhouette® shadings have been increased, with several fabrics now available up to 126".

Refreshed Colors



Colors for Silhouette® window shadings have been completely refreshed resulting in 16% more fabric and color combinations.

Choices of Lifting Systems...

FOUR GREAT WAYS TO OPERATE SILHOUETTE® WINDOW SHADINGS.


EasyRise™

- Cord loop and clutch system easily raises and lowers the shading
- Vanes can be tilted for privacy and light control
- Cord tensioner mounts securely to the window frame for enhanced child and pet safety



UltraGlide®

- Retractable pull cord system
- Cord stays a constant length after raising or lowering the shading
- Vanes can be tilted for privacy and light control
- Cord length can be adjusted for enhanced child and pet safety




PowerRise® With Platinum™ Technology

- Battery powered remote control system easily raises and lowers the shading
- Vanes can be tilted for privacy and light control
- Exclusive combination of infrared and radio frequency technologies in a single remote control system
- No cords for enhanced child and pet safety



Motorization With Platinum™ Technology

- Hard-wired system easily raises and lowers the shading
- Available with standard switch and optional remote control
- Vanes can be tilted for privacy and light control
- Compatible with home automation systems
- No cords for enhanced child and pet safety





Silhouette® Window Shadings

SIZE STANDARDS

Refer to the Hunter Douglas Full-Line Reference Guide & Base Price List for fabric availability and complete size standards.

- Standard Rectangular (EasyRise™ cord loop)
 - Sizes to 120" x 126"
- Silhouette® with UltraGlide®
 - Sizes to 96" x 96"
- Top-Down/Bottom-Up with TiltAnywhere™
 - Sizes to 72" x 84"
- Two-On-One Headrail
 - Sizes to 144" x 126"
- Tilt-Only Shadings (Standard and Low-Profile)
 - Widths from 6" to 30", heights to 120"
- Specialty Shapes
 - Sizes to 72" x 72", except:
 - Arch sizes to 72" x 36"
 - Quarter circle sizes to 36" x 36"
 - Extended arch sizes to 72" x 84"
- PowerRise® with Platinum Technology™
 - Widths to 120" and heights to 120"
- Platinum Technology Hard-Wired Motorization
 - Widths to 120" and heights to 120"

MOUNTING REQUIREMENTS

Top-Down/Bottom-Up inside mount or end mount only. Specialty shapes inside mount only. PowerRise battery wand not available with outside mounts.

Inside (IB) Mount

- Minimum casement depth: 1"
 - With PowerRise battery wand: 1 3/4"
- Specialty shapes: 2", 3" or 4" (depth = vane size)
- Minimum casement depth, fully recessed, standard headrail: 3 1/16"
 - With PowerRise battery wand: 3 3/4"
- Minimum casement depth, fully recessed, oversized headrail: 3 1/4"
 - With PowerRise battery wand: 3 11/16"
- Minimum casement depth, fully recessed, Quartette™ headrail: 3 11/16"
 - With PowerRise battery wand: 4 3/8"
- Minimum casement depth, fully recessed, Tilt-Only Low-Profile headrail: 3 11/16"
- Minimum rear fabric clearance: 1/8"

Outside (OB) Mount

- Minimum mounting surface height: 1 1/8"
 - Tilt-Only Low Profile: 3/4"
- Recommended width overlap per side: 3"
- Minimum rear fabric clearance: 1/8"

End (EB) Mount

- Minimum mounting surface depth: 1 1/4"
 - With back cover: 1 1/2"
 - With PowerRise battery wand: 2 1/8"
- Minimum rear fabric clearance: 1/8"

Note: Add 1/4" to minimum depth dimensions if optional back cover is used for inside mounts. (PowerRise battery wand depths already include the back cover.)



INNOVATIVE OPENINGS INC.
Window Covering and Shading Solutions

3 DENVER AREA SHOWROOMS:

Boulder Louisville Centennial
1672 30th St. 667 S. Pierce Ave. 7255 S. Havana

SHOP AT HOME SERVICE: 303.665.1305

Castle Rock • Fort Collins • Summit County • Vail • Aspen

www.innovativeopenings.com

EDGE GAPS

(from edge of opening to edge of fabric)

Inside Mount

- Control or motor side: 5/8"
 - Top-Down/Bottom-Up: 3/4"
- Non-control or non-motor side: 3/8"
 - Top-Down/Bottom-Up: 1/2"

End Mount

- Add 1/4" to above dimensions

MEASURING INSTRUCTIONS

Inside Mount

Round all measurements down to the nearest 1/8".

- Measure the width at the top, middle and bottom of the window opening; order the narrowest measurement.
- Measure the height at the left, center and right of the window opening; order the shortest measurement.
- Check for an out-of-square window opening by measuring the two diagonals, from upper left to lower right and from lower left to upper right.
- If the two diagonal measurements differ by more than 1/2", an outside-mounted shading is strongly recommended.
- Check for obstructions, such as a window crank or handle, which would interfere with shading operation or bracket attachment.

Outside Mount

Round all measurements up to the nearest 1/8".

- Measure the desired width, allowing a recommended 3" overlap on each side of the window opening.
- Measure the desired height, allowing at least 2 1/2" at the top of the window to accommodate the headrail.
- Spacer blocks or extension brackets may be used to gain additional clearance, if needed.

End Mount

Round all measurements down to the nearest 1/8".

- If the opening is rectangular, follow the instructions for an inside mount.
- If the top of the opening is not rectangular, first determine the desired location of the top of the shading and then follow the instructions for an inside mount.

Specialty Shapes

Round all measurements down to the nearest 1/8".

- Refer to the Measuring Guidelines Section of the Hunter Douglas Full-Line Reference Guide & Base Price List and make a template.
- Measure the inside of the window opening and mark those measurements on your template. Check that they correspond to the equivalent measurements of the template itself.
- With curved specialty shapes, measure the width at its widest point and the height at its tallest point.
- With angles, measure the width, the left height, the right height and the slope angle.
- With hexagons, octagons and trapezoids, measure all sides of the shape, as well as overall width and height.

PALETTE® FABRIC-COVERED HEADRAIL

- Featured on all rectangular shadings.
- Headrail is covered in fabric that coordinates with vane fabric.
- Do not steam or ultrasonically clean headrail fabric.

ORDERING NOTES

Specify the following information on the order form as appropriate for the type of shading.

- Fabric color number and name
- Width and height measurements
- Mounting style — inside (IB) mount, outside (OB) mount or end (EB) mount
- Left- or right-side cord control
- Optional cord loop drop
- Optional spacer blocks or extension brackets
- Optional hold-down brackets
- Optional back cover (inside mount and end mount only; standard with PowerRise battery wand)
- Optional dust cover
- Optional oversized headrail
- Optional fabric-covered headrail color substitution (surcharge required)

PowerRise with Platinum Technology

- Infrared eye type (built-in or satellite), infrared eye placement and IR operating channel
- Battery wand, satellite battery pack or DC power supply (surcharge required for DC power supply)
- Additional remote control(s)

Platinum Technology Hard-Wired Motorization

- Refer to the Hunter Douglas Full-Line Reference Guide & Base Price List

CLEANING OPTIONS

- Lightly dust or vacuum using low suction.
- For more thorough cleaning, professionally clean ultrasonically; do not immerse the headrail or bottom rail.
- Do not use electrostatic cleaning wipes such as Swiffer™ or Pledge Grab-it™.
- Palette Fabric-Covered Headrail: Lightly dust or vacuum using low suction. If further cleaning is needed, hand wash using a sponge or delicate cloth and mild soap solution. Handle with care as you would any fine fabrics.

ULTRAVIOLET PROTECTION

- Open vanes: up to 88% UV blockage
- Closed vanes: 99% UV blockage

LIFETIME GUARANTEE

The Hunter Douglas Lifetime Guarantee is designed to ensure a thoroughly satisfying experience for your customers when selecting, purchasing and living with Hunter Douglas window fashion products. If customers are not completely satisfied, they may contact you or call Hunter Douglas at 1-800-501-8364.