

# Fabric Care: Insolroll Fabric Programs



©2017

Insolroll Window Shading Systems, Inc  
637 S. Pierce Ave., Louisville, CO 80027  
tel: 800.447.5534 | www.insolroll.com

Fabric	Open-ness	Mfr recommended care
<b>Insolroll Solar Shades Program</b>		
<b>Aurora</b>	3%, 5%	Remove dust with a vacuum cleaner or compressed air. Clean with a sponge and warm, soapy water using mild detergent. Rinse with clean water. Do not scrub. Do not use solvents or abrasives that could harm the coating of the fabric. Leave the shade down until completely dry. You may also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Cambric</b>	Semi-sheer	Fabric should be regularly dusted/vacuumed (soft brush attachment) as appropriate. If commercial spot cleaners are used, they us first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
<b>Cirrus</b>	Sheer-20%	Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Daybreak</b>	Trans-lucent	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean w hite pencil eraser to remove small stains.
<b>Eclipse</b>	Black-out	Fabric should be regularly dusted/vacuumed (soft brush attachment) as appropriate. If commercial spot cleaners are used, they us first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
<b>Equinox</b>	1%, 3%, 5%	Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substances which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>GreenScreen Revive</b>	1%, 5%	Regular light dusting with a feather duster is suggested. A hand-held vacuum with low suction and brush attachment may also be used. When vacuuming, avoid pulling or stretching the fabric. Rigorous vacuuming is not recommended since this could distort the fabric. Alternatively, dirt and debris can be blown away using compressed air or a hand-held hair dryer on the cool setting.

Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

**Infinity2** 3%, 5%

Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

**E-Screen with KOOLBLACK** 3%, 5%

Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

**T-Screen with KOOLBLACK** 3%, 5%

Mesa contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganism, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

**Mesa** 1%, 3%, 5%, 10%

Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substances which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

**Mojave** 3%, 5%

Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean, white pencil eraser to remove small stains.

**Moonlight** Black-out

Natural Weave contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganism, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

**Natural Weave** 5% - 10%

Natural Weave contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganism, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

**Natural Weave Linen** 3%

<b>Nightfall</b>	Black-out	Material may be dusted with a damp cloth. When scrubbing is necessary, warm water, mild detergents, and gentle rubbing are recommended.
<b>Nimbus</b>	Sheer	Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Nocturne</b>	Black-out	Material may be dusted with a damp cloth. When scrubbing is necessary, warm water, mild detergents and gentle rubbing are recommended.
<b>Orion</b>	Blackout	Clean with warm water.
<b>Sedona</b>	3%, 5% Translucent	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.
<b>Sentry</b>	3%, 5% Translucent	Wipe clean with a soft cloth.
<b>Shadow</b>	Black-out	Fabric should be regularly dusted/vacuumed (soft brush attachment) as appropriate. If commercial spot cleaners are used, they us first be tested and allowed to dry on an inconspicuous area to ensure compatibility.
<b>Sierra</b>	1%, 3%, 5%	Dust removal with vacuum, compressed air, or soft brushing. Do not scrub, wipe clean with sponge using clean water.
<b>SilverScreen</b>	4% Translucent	Fabric is anti-static and therefore dust repellent. For regular maintenance, use a soft feather duster or vacuum-clean with a soft brush attachment on a low setting.
<b>Sunrise</b>	4% Translucent	1) Vacuum clean for regular maintenance using soft brush attachment.
<b>Twilight</b>	Black-out	Remove dust with vacuum cleaner (soft brush attachment) or compressed air. Do not scrub. Do not use solvents or any abrasive substances which might damage the coating of the fabric. For spot removal, a natural or dry cleaning sponge may be used.
<b>Zenith</b>	Black-out	Fabric should be regularly dusted/vacuumed (soft brush attachment) as appropriate. If commercial spot cleaners are used, they us first be tested and allowed to dry on an inconspicuous area to ensure compatibility.

### Interior Special Order Fabric Program

<b>Kona/Sheerweave 2000</b>	5%	Sheerweave 2000 contains Microban antimicrobial protection; the following cleaning practices will not affect the prproduct's ability to resist the growth of microorganisma, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
-----------------------------	----	---

<b>Sheerweave 2100</b>	10%	Sheerweave 2100 contains Microban antimicrobial protection; the following cleaning practices will not affect the prproduct's ability to resist the growth of microorganisma, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
<b>Sheerweave 2701</b>	1%	Sheerweave 2100 contains Microban antimicrobial protection; the following cleaning practices will not affect the prproduct's ability to resist the growth of microorganisma, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
<b>Sheerweave 2703</b>	3%	Sheerweave 2703 contains Microban antimicrobial protection; the following cleaning practices will not affect the prproduct's ability to resist the growth of microorganisma, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
<b>Sheerweave 2705</b>	5%	Sheerweave 2705 contains Microban antimicrobial protection; the following cleaning practices will not affect the prproduct's ability to resist the growth of microorganisma, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
<b>Sheerweave 2710</b>	10%	Sheerweave 2710 contains Microban antimicrobial protection; the following cleaning practices will not affect the prproduct's ability to resist the growth of microorganisma, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
<b>Sheerweave 3000</b>	14%	Sheerweave 3000 contains Microban antimicrobial protection; the following cleaning practices will not affect the prproduct's ability to resist the growth of microorganisma, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
<b>Sheerweave 4000</b>	5%	Sheerweave 4000 contains Microban antimicrobial protection; the following cleaning practices will not affect the prproduct's ability to resist the growth of microorganisma, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

<b>Sheerweave 4100</b>	10%	Sheerweave 4100 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
<b>Sheerweave 4400</b>	3%	Sheerweave 4400 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.
<b>Sheerweave 4800</b>	1%	Sheerweave 4800 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

## Insolroll Elements Fabric Program

<b>Aegean</b>	Solar Screen	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Antigua</b>	Solar Screen	Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Arcadia</b>	Sheer	Gently vacuum regularly, with appropriate soft brush attachment. Do not bleach. Do not rub or wring. Warm hand wash with mild soap, and keep shade down until fully dry. Warm iron if needed.
<b>Avalon</b>	Trans-lucent	Vacuum to dust with soft brush attachment. For spot cleaning, test any mild cleaning product on a small, inconspicuous area prior to broad application. Do not immerse or thoroughly wet. Do not use cleaning methods involving heat, bleach, abrasives, commercial spot cleaners or solvents.
<b>Bahia</b>	Sheer	Vacuum to dust with soft brush attachment. Do not wash.
<b>Bamboo</b>	Black-out	Dust gently with soft brush attachment of vacuum.
<b>Barrington</b>	Black-out	Dust gently with soft brush attachment of vacuum.
<b>Beachgrass</b>	Sheer	Sent request to Storch at Wintec.

<b>Biscayne</b>	Sheer	Dust gently with soft brush attachment of vacuum.
<b>Breeze</b>	Sheer	Sent request to Storch at Wintec.
<b>Cascade</b>	Trans-lucent	Vacuum to dust with soft brush attachment. For spot cleaning, test any mild cleaning product on a small, inconspicuous area prior to broad application. Do not immerse or thoroughly wet. Do not use cleaning methods involving heat, bleach, abrasives, commercial spot cleaners or solvents.
<b>Caspian</b>	Trans-lucent	Vacuum to dust with soft brush attachment. Do not wash.
<b>Catalan</b>	Sheer	Sponge clean with care.
<b>Cirrus</b>	Sheer	Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Coast</b>	Trans-lucent	Vacuum to dust with soft brush attachment. Do not wash.
<b>Cobble</b>	Trans-lucent	Regularly vacuum, gently, with appropriate (soft brush) attachment. Do not wash. Do not dry clean. Warm iron if needed. Test in an inconspicuous area with with mild detergent prior to spot cleaning. Do not allow shade to become fully wet- use damp cloth o
<b>Conway</b>	Trans-lucent	Regularly vacuum, gently, with appropriate (soft brush) attachment. Do not wash. Do not dry clean. Warm iron if needed. Test in an inconspicuous area with with mild detergent prior to spot cleaning. Do not allow shade to become fully wet- use damp cloth o
<b>Corsica</b>	Solar Screen	The following cleaning practices will not affect the product's ability to resist the growth of microorganisms: 1) Clean with mild soap and water 2)If cleaners other than mild soap and water are desired, test in an inconspicuous area, prior to use. 3) Avoid strong cleaners and disinfectants, especially t hose containing quaternary ammonium compounds and phenols. 4) Rinse thoroughly after cleaning 5) Leave shade down until completely dry.
<b>Crete</b>	Solar Screen	1) Vacuum clean for regular maintenance, using soft brush attachment. 2) Wipe gently with a wet sponge. 3) Do not wash. 4) Do not bleach. 5) Do not dry clean or use steam cleaning.
<b>Dakota</b>	Trans-lucent	Wipe clean with a soft, damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
<b>Dune</b>	Trans-lucent	Dust gently with soft brush attachment of vacuum.
<b>Kennebec</b>	Black-out	Regularly vacuum, gently, with appropriate (soft brush) attachment. Do not wash. Do not dry clean. Warm iron if needed. Test in an inconspicuous area with with mild detergent prior to spot cleaning. Do not allow shade to become fully wet- use damp cloth only. Leave shade down until completely dry.
<b>Key West</b>	Sheer	Vacuum to dust with soft brush attachment. Do not wash.
<b>Latitudes</b>	Semi-sheer	Wipe clean with a soft, lightly damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
<b>Mineral</b>	Black-out	Dust gently with soft brush attachment of vacuum.

<b>Miramar</b>	Black-out	Dust gently with soft brush attachment of vacuum.
		The following cleaning practices will not affect the product's ability to resist the growth of microorganisms: 1) Clean with mild soap and water 2) If cleaners other than mild soap and water are desired, test in an inconspicuous area, prior to use. 3) Avoid strong cleaners and disinfectants, especially those containing quaternary ammonium compounds and phenols. 4) Rinse thoroughly after cleaning 5) Leave shade down until
<b>Monaco</b>	Solar Screen	completely dry.
		Regularly vacuum, gently, with appropriate (soft brush) attachment. Do not wash. Do not dry clean. Warm iron if needed. Test in an inconspicuous area with mild detergent prior to spot cleaning. Do not allow shade to become fully wet- use damp cloth
<b>Moraine</b>	Black-out	cloth
		Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Nassau</b>	Semi-sheer	
		Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Nimbus</b>	Sheer	
	Black-out	Sent request to Storch at Wintec.
<b>Patina</b>	Trans-lucent	Wipe clean with a soft, damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
	Trans-lucent	Dust gently with soft brush attachment of vacuum.
<b>Pebble</b>		Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.
<b>Plateau</b>	Black-out	
	Trans-lucent	Gently vacuum with soft brush attachment. Do not wash
<b>Playa</b>		
<b>Reef</b>	Sheer	Gently vacuum with soft brush attachment. Do not wash
<b>Scirocco</b>	Sheer	Vacuum to dust with soft brush attachment. Do not wash.
	Black-out	Gently vacuum with soft brush attachment. Do not wash
<b>Sendal Strand</b>		
<b>Sylvan</b>	Trans-lucent	Gently vacuum with soft brush attachment. Do not wash
	Semi-sheer	Gently vacuum with soft brush attachment. Do not wash
<b>Tahoe</b>		
	Trans-lucent	Gently vacuum with soft brush attachment. Do not wash
<b>Tephra</b>		
		Wipe clean with a soft, damp cloth. Dust when needed with the brush attachment of a vacuum cleaner. Do not use solvents or abrasives that may damage the fabric/coating.
<b>Terrace</b>	Trans-lucent	Vacuum to dust with soft brush attachment. For spot cleaning, test any mild cleaning product on a small, inconspicuous area prior to broad application. Do not immerse or thoroughly wet. Do not use cleaning methods involving heat, bleach, abrasives, commercial spot cleaners or solvents.
<b>Tofino</b>	Black-out	

Clean with warm water and mild soap. Rinse with clean water. Leave the shade down until completely dry. Can also very gently rub the fabric with a clean white pencil eraser to remove small stains.

**Umbra** Sheer  
**Woodrush** Trans-lucent

Sent request to Storch at Wintec.

Vacuum to dust with soft brush attachment. For spot cleaning, test any mild cleaning product on a small, inconspicuous area prior to broad application. Do not immerse or thoroughly wet. Do not use cleaning methods involving heat, bleach, abrasives, commercial spot cleaners or solvents.

**Zephyr** Trans-lucent

### Oasis Fabric Program

**TuffScreen** 48% Clean with a mild soapy solution, avoiding hard scrubbing.

**TuffScreen No-See-Ums** 45% Clean with a mild soapy solution, avoiding hard scrubbing.

Remove dust with a vacuum cleaner or compressed air. Clean with a sponge and warm, soapy water using mild detergent. Rinse with clean water. Do not scrub. Do not use solvents or abrasives that could harm the coating of the fabric. Leave the shade down until completely dry. You may also very gently rub the fabric with a clean white pencil eraser to remove small stains.

**Aurora** 3%, 5%

Mesa contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

**Mesa** 1%, 3%, 5%, 10%

agent to the fabric - specifically APCO Vinyl Cleaner Plus (APCO Vinyl Cleaner HD) 2) Brush the fabric using a soft brush with feathered ends and allow the solution to do most of the work. Do NOT grind the bristles of the brush into the fabric. 3) Rinse 4) Leave shade down until completely dry. 5) An application of APCO Vinyl Protectant should be added to the surface after the product has completely dried. 6) APCO Cleaning Products: Awning Cleaning Inc; 31 Fitch St., New Haven, CT, 06515. (800) 542-3009. Alternatively, the same method using a mild soap like Dawn dish soap works well.

**Palmetto** 8%

Natural Weave contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

**Natural Weave** 5-10%

Natural Weave contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

**Natural Weave Linen** 3%

<b>Season</b>	<p>Translucent</p> <p>1) Lower shade, moisten the area to be cleaned with water. Add a solution of cleaning agent to the fabric - specifically APCO Vinyl Cleaner Pus (APCO Vinyl Cleaner HD) 2) Brush the fabric using a soft brush with feathered ends and allow the solution to do most of the work. Do NOT grind the bristles of the brush into the fabric. 3) Rinse 4) Leave shade down until completely dry. 5) An application of APCO Vinyl Protectant should be added to the surface after the product has completely dried. 6) APCO Cleaning Products: Awning Cleaning Inc; 31 Fitch St., New Haven, CT, 06515. (800) 542-3009. Alternatively, the same method using a mild soap like Dawn dish soap works</p>
---------------	---

<b>Shore</b>	<p>Translucent</p> <p>For regular care and maintenance, the excess dirt should be brushed from the fabric using a soft brush; the fabric should then be sprayed with warm water (not exceeding 100° F) and air-dried. Periodically, the fabric should undergo a more thorough cleaning. Again, brush fabric with a soft bristled brush, spray with warm water, then apply a gentle soap. Let stand for 10 to 20 minutes, taking care not to let it dry, then rinse thoroughly and air-dry. Do not use detergents and/or solvents. Leave shades down until completely dry to prevent mildew from forming.</p>
--------------	--

**Oasis Special Order Fabric Program**

<p>Kona/Sheerweave 2000</p> <p>5%</p>	<p>Sheerweave 2000 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganism, and are considered safe for routine cleaning. &gt;Clean with mild soap and water &gt;Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility &gt;Paint solvents will damage the vinyl surface of the fabric and should not be used.</p>
---------------------------------------	--

<p>Natte</p> <p>12%</p>	<p>Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.</p>
-------------------------	---

<p>Satine</p> <p>5%</p>	<p>Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains.</p>
-------------------------	---

<p>Sheerweave 2100</p> <p>10%</p>	<p>Sheerweave 2100 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganism, and are considered safe for routine cleaning. &gt;Clean with mild soap and water &gt;Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility &gt;Paint solvents will damage the vinyl surface of the fabric and should not be used.</p>
-----------------------------------	--

Sheerweave 4000 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

Sheerweave  
4000 5%

Sheerweave 4100 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

Sheerweave  
4100 10%

Sheerweave 4400 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

Sheerweave  
4400 3%

Sheerweave 4800 contains Microban antimicrobial protection; the following cleaning practices will not affect the product's ability to resist the growth of microorganisms, and are considered safe for routine cleaning. >Clean with mild soap and water >Commercial and hospital grade cleaners/disinfectants may be used; test in an inconspicuous area to ensure compatibility >Paint solvents will damage the vinyl surface of the fabric and should not be used.

Sheerweave  
4800 1%